



OKCLIMA ADVANCE

Full Automatic A/C station
Potpuno automatska
A/C stanica



AUTOMOTIVE
EXPERTISE

SPIN

OKCLIMA ADVANCE



Full automatic
A/C station for
cars, trucks and
minibuses



Potpuno automatska
A/C stanica za automobile,
kamione i minibusove

PLUS
EVO
BUS

> Available also the version:
> Takodje dostupno u verziji:

HF01234YF


BASIC
Cod. 01.019.25

PLUS
Cod. 01.019.26


EVO
Cod. 01.019.27

BUS
Cod. 01.019.30

TEHNIČKE KARAKTERISTIKE
TECHNICAL FEATURES

1	Grafički displej sa ikonicama	✓	✓	✓	✓	Graphic display with icons
2	Kapacitet unutrašnje boce	12,5 kg	22 kg	22 kg	30 kg	Tank capacity
3	Vakuumpumpa	72 lt/min	100 lt/min	100 lt/min	170 lt/min	Vacuum pump
4	Grejač unutrašnje boce	BST SYSTEM	BST SYSTEM	automat.	automat.	Heating
5	Kapacitet kompresora	300gr/min	400 gr/min	400 gr/min	600 gr/min	Compressor capacity
6	Automatsko izvlačenje rashladnog fluida	✓	✓	✓	✓	Automatic recovery
7	Automatsko pražnjenje ulja	✓	✓	✓	✓	Automatic oil discharge
8	Podesivi vakuum	✓	✓	✓	✓	Programmable vacuum
9	Podesivi test vakuuma (u mbar)	✓	✓	✓	✓	Programmable vacuum test (in mbar)
10	Plasiranje ulja/UV boje, standardno	✓ MULTIOIL SYSTEM	X	X	X	Oil/additive injection standard, timed
11	Plasiranje ulja/UV boje, standardno sa vagom	X	✓	✓	✓	Oil/additive injection standard, with scale
12	Plasiranje ulja/UV boje u hibridna vozila, sa vagom	X	✓	✓	✓	Injection oil/additive by hybrid vehicles, with scale
13	Softver za hibridna vozila	X	✓	✓	✓	Software hybrid vehicles
14	Automatsko punjenje gasa	✓ BST SYSTEM	✓ BST SYSTEM	✓	✓	Automatic gas charge
15	Automatski test pritiska	X	X	✓	X	Automatic pressure test
16	Manuelni test pritiska	✓	✓	X	✓	Manual pressure test
17	Podešavanje pritiska prilikom punjenja freona zima/leto	X	X	✓	X	Guided charge compensation manual WSC
18	Višejezični softver	✓	✓	✓	✓	Multilingual software
19	Ugrađena baza podataka (automobili, industrijska vozila, poljoprivredne mašine)	✓	✓	✓	✓	Built-in database (cars, industrial vehicles, agricultural machines)
20	Softver za čišćenje A/C sistema ispiranjem (pribor 01.000.96 na zahtev)	✓	✓	✓	✓	Software for flushing cleaning (with kit 01.000.96 on request)
21	Softver za čišćenje A/C sistema recikliranjem, AUDI / VW6)(pribor 01.000.139 na zahtev)	✓	✓	✓	✓	Software for recycling cleaning (VW, Audi) (with kit 01.000.139 on request)
22	Automatska selekcija servisnih creva	X	X	✓	X	Automatic selection of charging hoses
23	Ispuštanje nekondenzujućih gasova	Manual	Manual	Manual/Automat.	Manual	Discharge of incondensable gases
24	Podešavanje dužine servisnih creva	✓	✓	✓	✓	Hose length adjustment
25	Automatsko unutrašnje čišćenje	✓	✓	✓	✓	Automatic internal cleaning
26	Manometar VP/NP klasa 1	✓	✓	✓	✓	HP/LP gauges class 1
27	Manometar za unutrašnju bocu	✓	✓	✓	✓	Bottle pressure gauge
28	Softver saglasan sa norm. SWEDAC	✓	✓	✓	✓	Software in compliance with SWEDAC
29	Softver saglasan sa Evropskom regulativom (EC) No. 842/2006	✓	✓	✓	✓	Software in compliance with European Regulation (EC) No. 842/2006
30	Test curenja azotom (pribor 01.000.218 na zahtev)	✓	✓	✓	✓	Leakage test with nitrogen (with kit 01.000.218 on request)
31	Podesivo punjenje unutrašnje boce	✓	✓	✓	✓	Programmable refilling of the internal bottle
32	Nadogradnja baze podataka putem USB-a	✓	✓	✓	✓	Upgrade of database and graphic via USB
33	Prenos podataka na eksterni PC	✓	✓	✓	✓	Data upload into copmputer
34	INFO stranica o izvršenim operacijama	✓	✓	✓	✓	INFO-page about the performed operations
35	10 unapred definisanih korisnika	✓	✓	✓	✓	10 preset user
36	Automatski multi-pass	X	X	✓	X	Automatic Multipass
37	Štampač	optional	optional	✓	optional	Printer
38	Finalna provera sa N ₂ -H ₂	✓	✓	✓	✓	Final inspection with N ₂ -H ₂
39	Verzija HFO1234YF	optional	optional	optional	X	HFO1234YF Version
40	Dimenzije, cm	59x61x112	59x61x112	59x61x112	59x61x112	Dimensions, cm
41	Težina, kg	75	85	85	110	Weight, kg

01.000.96



01.000.139





01.000.218



01.000.205




ACCESSORIES ON REQUEST



The details that make the difference

Detalji po kojima se razlikujemo

OKCLIMA ADVANCE



- > A: Graphic display
- > B: Built-in database (cars, trucks, agricultural machines) with possibility to upgrade
- > Facilitated charge in each temperature condition with **BST SYSTEM** (by Spin) – mod. BASIC/PLUS
- > Standard and Hybrid oil/additive management (**Multi-Oil SYSTEM** by SPIN) – mod. BASIC
- > C: Pressure test with charge adjustment (manual WSC) – mod. EVO
- > D: Hose length adjustment (mod. EVO)
- > E: Printer included (mod. EVO)
- > F: Flushing cleaning of the A/C system (kit 01.000.96 on request)
- > G: Recycling cleaning of the A/C system, AUDI/VW type (kit 01.000.139 on request)
- > H: Leakage test with nitrogen (kit 01.000.218 on request)
- > I: User management
- > L: Automatic Multipass (mod. EVO)
- > M Standard and Hybrid oil management with automatic cleaning of the hoses (mod. PLUS/EVO/BUS)
- > N: Multilingual software
- > O: Integrated USB for data download
- > Optional HFO refrigerant analyzer compliant with SAE/VDA norms (01.000.205)



- > A: Grafički displej
- > B: Ugrađena baza podataka (automobili, kamioni, poljoprivredne mašine), sa mogućnošću nadogradnje
- > Omogućeno punjenje bez obzira na temperaturne uslove putem BST sistema – mod. BASIC/PLUS
- > Manipulisanje standardnim i hibridnim uljem/dodacima (**Multi-Oil** sistem) – mod. BASIC
- > C: Test pritiska sa podešavanjem punjenja (WSC uputstvo) – mod. EVO
- > D: Podešavanje dužine servisnih creva – mod. EVO
- > E: Sadrži štampač (mod. EVO)
- > F: Čišćenje A/C sistema ispiranjem (pribor 01.000.96 dostupan na zahtev)
- > G: Čišćenje A/C sistema recikliranjem, AUDI/VW tip (pribor 01.000.139)
- > H: Nitrogen test curenja sistema (pribor 01.000.218)
- > I: Upravljanje korisnicima
- > L: Automatski multi-pass (mod. EVO)
- > Manipulisanje standardnim i hibridnim uljem/dodacima sa automatskim čišćenjem servisnih creva (mod. PLUS/EVO/BUS)
- > N: Višejezični softver
- > O: Integrisani USB slot za preuzimanje podataka
- > Opcioni analizator HFO rashladnog fluida saglasan sa SAE/VDA (01.000.205) normom



AUTOSTART DOO
Ćirila i Metodija 45
21000 Novi Sad
www.autostart.co.rs

AUTO
start

SPIN



OKCLIMA
ADVANCE

Available also the version:
Dostupno i u verziji:

HF01234YF